

Jeanneau Sun Odyssey 490



Year:	2023	Heads:	2
Location:	UK	Cabins:	3
LOA:	48' 7" (14.80m)	Berths:	6
Beam:	14' 9" (4.49m)	Keel:	Fin Keel
Draft:	7' 4" (2.24m)	Engines:	1

Remarks:

NEW Jeanneau Sun Odyssey 490 - Lying Swansea for immediate delivery - Photos are actual boat.
Yanmar 4JH57CR 57hp, Deep draft cast iron keel, 3 x cabins with 2 x heads - Grey Cedar, Ambiance
Riveria, Preference Pack Trim, Port Convertible Cockpit Package, Audio Entertainment Pack, Electronic Pack
Cruising, Electrical coach roof winch Harken® 46.2 ST, Retractable bow thruster, Teak Cockpit Floor

£437,317 Tax Paid

E: info@nybswansea.co.uk **T:** 01792 465550

www.networkyachtbrokers.com | over 700 boats listed

REF: 05F8127222



Mechanical and Rigging

Construction

Full-length hull chine for improved stability and speed
Long waterline for better speed while sailing and under power
L-shaped cast iron keel less exposed to seaweed and lines
Twin rudders with self-aligning roller bearings and textile lines, to increase control and pleasure in navigation
Infused sandwich hull with balsa core and fiberglass skins, ISO gelcoat surface, protective barrier coat
Infused fiberglass inner liner, easy access to grounding frame, relamination in stays attachment areas.
Prisma Process® injected deck, ISO gelcoat, discontinuous balsa block coring – 30% weight savings as compared to traditional decks
Twin rudders with self-aligning roller bearings and textile lines, to increase control and pleasure in navigation
Easy circulation thanks to the inclined side decks
Flush deck hatches
Long tinted acrylic roof windows
Split rigging: Inboard shrouds for easier access forward
External woodwork and inlays made of Teak
Mid-ship cleats
Electric windlass
3 Cabin 2 Heads Version

Engine

YANMAR 57HP (4JH57CR) SAIL DRIVE

Latest-generation Yanmar Common Rail Sail Drive engine with reduced CO2 emissions and consumption
Fixed 3-blade propeller
Sound insulation 40 mm / 1 1/2" thick, with fire retardant film
Latest-generation Common Rail engine with reduced emissions and consumption
Engine panel oriented toward helmsman, located on the cockpit table.
Throttle at helm station
Insulation: Foam 40 mm, with fire retardant film
Built-in muffler, air ventilation and stainless steel Exhaust fitting
Fixed 3 blade propeller
Ventilation system extractor fan located near the engine, benefiting from the insulation of the engine room.
Outlet vents at the back of cockpit
Roto moulded fuel tank 240 L / 63 US gal located under the aft cabin berth, fuel / water separator
Access behind steps to engine compartment and from aft cabins

Electrical

Main 12 V electrical panel at the chart table
12V Circuit for house and engine system
Domestic battery bank capacity 3 x 115 Ah / 12 V

Engine start battery capacity 1 x 120 Ah / 12 V 12 V engine alternator: 125 Ah

Positive and negative battery switch 12 V in the aft cabin

Full LED interior lighting

40 Ah battery charger for 12 V battery banks (Included Option)

60 Ah battery charger for 12 V battery banks (Included Option)

Additional service batteries (3 x 115 Ah / 12 V) (Included Option)

USB plugs (7) (Included Option)

Navicolor battery monitoring (Included Option)

Retractable bow thruster 6,3 kW 105 kgf (231,5 lbs) with a dedicated 12V battery bank and charger (Included Option)

Mast and Rigging

Furling Mast with Dacron Mainsail (Included Option)

Aluminium boom with rigid vang and lowered goose neck for easier handling

Double backstay

Genoa furler with double slot, furling line lead aft to cockpit on coach roof

Running rigging topping lift, mainsail halyard, genoa halyard, mainsheet, genoa sheets in polyester

Standing rigging discontinuous 1 x 19 stainless steel wire

Asymmetrical lazy bag with integrated lazy jacks

Plumbing

Fresh Water

Pressurised water distributed through-out the boat via semi-rigid hose

"Heavy-duty" water pump 19 L / 5 US gal / mn, accumulator tank for consistent water pressure

Rotomoulded tank: 400 L / 87 US gal, under the forward cabin berth

Rotomoulded tank: 240 L / 53 US gal, under the aft cabin berth

Tank gauges (1 per tank) Tank manifold with selector valves

Water boiler 40 L / 11 US gal connected to the engine and 220 V circuit

Hot and cold cockpit shower on transom

Grey And Black Water

Automatic electrical shower self-activating

Large bowl marine toilets

Black water tank 50 L / 13 US gal, with gravity drain and deck fitting (forward and port aft heads)

Black water tank 80 L / 21 US gal, with gravity drain and deck fitting (aft starboard head)

Bilges Drainage

Electric bilge pump located in bilge area with activation via switch at electrical panel

Dual-action manual bilge pump located in the cockpit, with separate hose from primary bilge pump

Gas

Gas leakage detector

Sails

Horizontally-cut in high strength polyester Semi-battened main sail with 3 reefs 56,61 m² / 609 Sq ft 120 % furling genoa with UV protection 53,50 m / 576 Sq ft
 Mainsheet attached to Dyneema® bridle forward of companionway, with sheets led back to the cockpit winches
 Harken® genoa tracks with adjustable lead cars
 Spinlock® jammers
 Coachroof winch 1 x Harken® 46.2 ST to port
 Genoa winches 2 x Harken® 50.2 ST winches for easy use at the helm stations
 Harken® winch handle
Electrical coach roof winch Harken® 46.2 ST (Included Option)

Sail Locker

Access via lockable deck hatch
 Access ladder in stainless steel

Inventory

Deck Hardware

Bow pulpit in stainless steel
 Stern pushpits in stainless steel with buoy bracket and emergency ladder
 Double level of stainless steel lifelines
 6 aluminium mooring cleats
 Stainless steel handrails on coachroof (2)
 Deep anchor locker
 Electric 12 V windlass 1 000 W - 10 mm chain
 Long fixed tinted windows along coach roof
 Fixed cockpit windows in the aft cabins (2)
 Large, fixed hull ports (6)
 Opening ports in the roof (4)
 Opening deck flush hatches (11)
 Opening ports towards cockpit in the aft cabins (1 per cabin)
 Opening ports towards side-deck in the aft cabins (1 per cabin)
GRP bowsprit with integrated anchor roller (replaces the standard anchor roller) (Included Option)
GRP eyebrow for the long acrylic roof windows (Included Option)
Lifeline gates with removable access ladder (Included Option)
Mooring kit 6 fenders and 4 dock lines (Included Option)
Anchoring kit with Delta 20 kg / 44 lbs, 32 m / 104'11" of 10 mm chain and 45 m / 147'7" line (Included Option)

Navigation Equipment

1 Raymarine I70s Multifunction Display
1 Depth-Speed Sensor
1 Masthead Wind Sensor
1 Raymarine Ray63 Vhf
1 Raymarine P70s Autopilot + Acu400 Core Unit And Gyrocompas
1 GPS Raymarine Axiompro 7 Multifunction Touchscreen Display With Wifi

Cartography Navionics Silver

Cockpit

Asymmetrical cockpit with dedicated area for dinning, lounging and manoeuvring
Walk-in access to side decks, enabling to walk around the deck without crossing any steps
Multi-function cockpit table
Leather-covered stainless steel steering wheels
Large aft fold-down swim platform with telescopic ladder • Telescopic bath ladder
Hinged companionway doors
Walk-in access to side decks, enabling to walk around the deck without crossing any steps.
Large cockpit table with compass, cup holders, area for navigation instrument, cockpit light switch, handrails, LED lighting, bottle storage and optional portable fridge
Teak inlay on bench seats, helms stations and transom platform
Fixed coaming with ideal height for comfort and safety
Cockpit lockers: 1 on starboard side, 1 on port side (versions B, C, D and E only), 1 large locker on the cockpit floor that can be used for the optional generator, one liferaft locker with open access to transom platform 92 x 65 x 48 cm / 3'00" x 2'1" x 1'6" Universal gas box, cut-off valve under the stove
Wheels with leather wrap, space for flush mounted
GPS at each helm, stainless steel handrail, cup holders
Emergency tiller, and fitting in cockpit floor
Engine control: throttle lever at starboard helm station and oriented engine panel on the cockpit table
Large bathing platform with telescopic ladder, handrail and access step to the cockpit
Hinged companionway doors in plexiglass
Sliding horizontal hatch in plexiglass
Cockpit table with stainless steel handrails
Second windlass control with chain counter, installed in the cockpit (Included Option)
Halyard bags in the cockpit with stainless steel frame (3) (Included Option)
Extending port side coaming convertible into lounging area (Included Option)
Sunbrella® Cushions for port side cockpit and sunbathing areas (Included Option)
Cushions for starboard fixed cockpit (Included Option)
Port side lifelines' cushion (Included Option)
Helmsman seat cushions (Included Option)
Large cockpit sprayhood in Sunbrella®, high transparency windscreen and LED cockpit lighting (Included Option)
Teak inlay on cockpit floor (Included Option)
Electrical bathing platform system with remote (Included Option)

Audio System

RA70N Fusion player (Radio / USB / Bluetooth/) at the chart table (Included Option)
Bose® speakers in the saloon (Included Option)
Bose® subwoofer (Included Option)
Speakers in the cockpit (Included Option)

Preparation Package

- Light sanding
- De-grease & apply 2 layers of anti-fouling

- Reposition chocks for treatment covered surfaces and under keel (choice of colours from chart)

Delivery & Commissioning:-

- Check parts list JEANNEAU with equipment's onboard
- Check hull, deck, hatches, keel and rudder
- Check mast and rigging
- Guardrail and balcony fitting
- Mast preparation, positioning of standing rigging and running rigging

Assistance for launch :

- check of all the valves, cable clamp
- Commissioning engine and generator, leak check
- Mast lifting, fitting running rigging
- Mast and turnbuckle adjustment
- Sails fitting and adjustment
- Water tanks filling
- Fuel 25 L for test sails
- Commissioning of standard and optional equipment, check for leaks on water and fuel circuits.
- Check of the equipment's with water cooling system or flushing :air con, water maker, fridge, freezer, WC, etc.
- Check of the electronic equipment's, settings
- Check of VHF settings- Electrical board check , circuit breakers on AC and DC
- Check thrusters, power supply and charge
- Safety equipment check , anchoring and mooring

Delivery from Yard to UK

- Shrink-wrap and Secure vessel for transport
- Loading to transporter at Builders Yard
- Securing to trailer and drive to destination
- Tolls and Permits Included
- Escorts Included
- Lift off at commissioning yard

Accommodation

Saloon

Comfortable seating arrangement to starboard with view of sea through hull ports

Hinged storage compartments under settee

Large storage between the saloon and the companion way

Bottles storage

Large storage behind backrests

Large table with 2 removable aluminium legs

Convertible berth in saloon

Companionway with anti-slip floor surface

Wine storage locker under floorboards

Upholstered bulkheads (Included Option)

Indirect LED lighting, and lamps on bulkheads(Included Option)

Shades for windows and ports in the saloon(Included Option)

Shades and screens for hatches in the saloon(Included Option)

Signature clock and barometer set at the chart table(Included Option)

Chart table

Large chart table with leatherette worktop, opening compartment for laptop computer
Sofa in vis a vis at the chart table
Book shelf
Multiple storage for telephone, keys
Large storage space under electrical panel for books and other navigation equipment, storage underneath the seat
Access to central cabinet storage compartment
Bicolour reading light
Ergonomic seat, seaworthy
Opening port above the chart table

Galley

U-shape galley, ideally located near the centre of gravity of the boat
Corian® countertops
Double stainless steel sinks
2-burner stove with oven
Fridge 130 L / 34 US gal with top access
U-shaped galley located on port side, with view on the sea
Counter top in Corian®, with fiddles
Double stainless steel sinks with chrome fixtures
Large drawer in the centre cabinet
Soft-close, fully-extending drawers
Sliding waste bin 26 L / 7 US gal
Open storage behind the galley
2 burner stove with protective handrail
Vertical door fridge (Included Option)
Specific compartment for cutlery in the central galley storage unit (Included Option)
3 burner cooker and oven with grill function (replaces standard 2 burner cooker) (Included Option)

Woodwork

Alpi® Teck interior woodwork laminated with solid wood trim, UV stabilized varnish
Fully-upholstered hull sides and ceiling
Ceruse light Oak laminate floorboards
Grey Cedar Wood (Included Option)

Forward Owners Cabin

Large passageway
Large domestic size, rectangular berth, 2,00 x 1,60 m / 6'6" x 5'2"
Large dressing locker to starboard with hanging locker, full height drawer, opening cabinet and LED lighting
Large hanging locker to port
Central book shelf with space for the optional TV
Lower locker with drawer, shoes storage and leatherette top finish
3 large drawers underneath the berth (2 drawers if air conditioning is selected)

Side bed tables with leatherette
Fully upholstered front bulkhead
Large mirror in front of the cabin
LED lighting
2 opening deck hatches, for light and ventilation above the bed and 1 in the passageway
2 large fixed hull ports with sliding blindsDeck hatches with blind and bug screens
Separate toilet compartment to port, with GRP sink furniture, storage, hull port allowing sea view, opening deck hatch, indirect LED lighting, large marine toilet with manual pump
En-suite owner's head compartment, with direct access from the cabin, GRP sink furniture, drawer, opened storage shelves, hull port allowing sea view, opening deck hatch, indirect LED lighting, full height mirror.
Separate shower compartment located in the centre of the boat for higher headroom, with its dedicated opening deck hatch and plexiglass door, shower, shower drain with automatic switch

Aft Cabins

Large domestic size, rectangular berth 2,00 x 1,60 m / 6'6" x 5'2"
Hanging locker storage and shelf along hullLED Lighting
LED reading lights
1 long fixed hull port, 1 large fixed cockpit window
1 opening port on coach roof, 1 opening port towards the cockpit, 1 opening port towards the side decks
Blinds for each opening
Access to tanks and technical area behind the engine

Starboard aft head:

Double access, from starboard cabin and saloon
GRP sink furniture, storage with towel shelf,
Teak shelf with fiddle,
Large roof window,
Opening port for light and ventilation
Indirect LED lighting,
Shower, shower drain with automatic switch, water inlet valve and connector underneath the sink
Large marine toilet with manual pump, hook
Large mirror
Shower separated with a plexiglass door

Remarks :

NEW Jeanneau Sun Odyssey 490 - Lying Swansea for immediate delivery - Photos are actual boat.

Pricing as displayed is INC UK VAT but we can supply Excluding VAT for EU export.

Offering a supreme blend of sailing performance and volume she is equipped with a hard chine and powerful forward hull with twin walk around side decks that allow easy circulation in a design that is not found in any other sailboat on the market today.

Inside she offers a large open plan saloon with the stowage intentionally shifted towards the centreline of the boat to keep the centre of gravity low, forward of the saloon she has with cleverly designed owners cabin forward with a large bed and separate heads and shower with a central unit that houses a bookshelf and stowage options.

Don't hesitate, speak to us today and you can be sailing your own Jeanneau Sun Odyssey 490 Yacht.

Builder: Jeanneau

Designer: Philippe Briand / Piaton Bercault & Co.

Engine: Yanmar 4JH57CR 57hp

Deep draft cast iron keel

Version: 3 x cabins with 2 x heads - Grey Cedar, Ambiance Riveria

Location: Swansea Marina

UPGRADES INCLUDED

+Preference Pack Trim

- GRP bowsprit with integrated anchor roller (replaces the standard anchor roller)
- Second windlass control with chain counter, installed in the cockpit Halyard bags in the cockpit with stainless steel frame (3)
- 40 Ah battery charger for 12 V battery banks
- 60 Ah battery charger for 12 V battery banks
- Additional service batteries (3 x 115 Ah / 12 V)
- USB plugs (7)
- 3 burner cooker and oven with grill function (replaces standard 2 burner cooker)

- GRP eyebrow for the long acrylic roof windows
- Navicolor battery monitoring
- Upholstered bulkheads
- Indirect LED lighting, and lamps on bulkheads
- Shades for windows and ports in the saloon
- Shades and screens for hatches in the saloon
- Signature clock and barometer set at the chart table
- Vertical door fridge
- Specific compartment for cutlery in the central galley storage unit

+Port Convertible Cockpit Package

- Extending port side coaming convertible into lounging area
- Sunbrella®Cushions for port side cockpit and sunbathing areas
- Cushions for starboard fixed cockpit
- Port side lifelines' cushion

+Audio Entertainment Pack

- RA70N Fusion player (Radio / USB / Bluetooth/) at the chart table
- Bose® speakers in the saloon
- Bose® subwooferSpeakers in the cockpit

+Electronic Pack 2022 Cruising

- 1 Raymarine I70s Multifunction Display
- 1 Depth-Speed Sensor
- 1 Masthead Wind Sensor
- 1 Raymarine Ray63 Vhf
- 1 Raymarine P70s Autopilot + Acu400 Core Unit And Gyrocompas
- 1 GPS Raymarine Axiompro 7 Multifunction Touchscreen Display With Wifi Cartography
- Navionics Silver

Further Options Also Included

- +Electrical coach roof winch Harken® 46.2 ST
- +Mooring kit 6 fenders and 4 dock lines

+Anchoring kit with Delta 20 kg / 44 lbs, 32 m / 104'11" of 10 mm chain and 45 m / 147'7" line

+Large cockpit sprayhood in Sunbrella®, high transparency windscreen and LED cockpit lighting

+Electrical bathing platform system with remote

+Lifeline gates with removable access ladder

+Retractable bow thruster 6,3 kW 105 kgf (231,5 lbs) with a dedicated 12V battery bank and charger

+Teak inlay on cockpit floor

Contact: Network Yacht Brokers Swansea, Unit 1, Fishmarket Quay, Swansea, SA1 1UP

Tel: 01792 465550

Fax : +44 01792 466085

Email: info@nybswansea.co.uk